



**McALLEN PUBLIC UTILITY
PRETREATMENT SURVEY**

In accordance with the U.S. Environmental Protection Agency (EPA) General Pretreatment Regulations (40 CFR 403), and the City of McAllen Code of Ordinances, Section 106, Division 3, McAllen Public Utility implements a wastewater pretreatment program. The pretreatment program regulates the contribution of industrial wastewaters into the public sanitary sewer system.

In order for MPU to identify and locate possible industrial users that might be subject to Pretreatment Program requirements, and to help characterize the wastes being discharged into the sewer system, please complete the following questions:

1. Company Name: _____
2. Mailing Address: _____
3. Physical Location: _____
4. Business Owner/Contact Person: _____
5. Telephone #: _____
6. Business Hours: _____ 7. Number of Employees: _____
8. Check which type of business(es) is being conducted on the premises:
 Manufacturing/Production Service Retail Warehouse Assembly
 Other, Specify: _____
Briefly describe the type of business being conducted: _____

9. If in operation when operations begun at this location? _____
10. SIC Code: _____
11. Est. process wastewater discharge (gals/day): <10,000 10,000 – 24,999 >25,000
Estimated___ Actual___
12. Est. non-process wastewater discharge (gals/day):
Estimated___ Actual___
13. Does this facility discharge any wastewater other than from restrooms? Yes No
If yes, briefly describe: _____



14. Does facility holds any environmental permit? ____ Yes ____ No

If yes, please list them below.

Agency	Number
_____	_____
_____	_____
_____	_____

15. Water is being supply by:
 City of McAllen ____ Yes ____ No If yes Account # _____
 If no by who _____ Account # _____
 Private Well
 Surface Water
 Others (specify) _____

15. For an existing business:

Is building connected to the public sanitary sewer? ____ Yes ____ No

Will you be occupying an existing building? ____ Yes ____ No

For a new business:

Will you be occupying an existing building? ____ Yes ____ No

If yes, will you be expanding it? ____ Yes ____ No

Have you applied for a building permit? ____ Yes ____ No

Will you be connected to the public sanitary sewer? ____ Yes ____ No

16. Is any form of wastewater pretreatment being utilized at this facility? Yes No

Check all pretreatment devices being utilized at this premise:

- | | | |
|---|---|---|
| <input type="checkbox"/> Grease trap | <input type="checkbox"/> Interceptor | <input type="checkbox"/> Grit trap |
| <input type="checkbox"/> Lint trap | <input type="checkbox"/> Oil skimmer | <input type="checkbox"/> Flow equalization, baffles |
| <input type="checkbox"/> Silver Reclaimer | <input type="checkbox"/> Metals precipitation | <input type="checkbox"/> Wastewater recycling |
| <input type="checkbox"/> Other, briefly describe: _____ | | |

17. Does (or Will) this facility discharge any wastewater other than domestic wastewater from restrooms to the city's sewer? Yes No



18. Check all process activities being conducted at the premise and indicate if wastewater is generated from the corresponding activities:

Industrial Activity		Is wastewater generated from this activity?		Est. gallons of wastewater discharged /day
		Yes (✓)	No (✓)	
1	Food preparation service			
2	Laundry/cleaning			
3	Medical care			
4	Laboratory			
5	Photographic processing			
6	X-ray processing			
7	Printing			
8	Painting			
9	Painting, finishing, phosphating			
10	Paint or ink formulation			
11	Repair shop/garage			
12	Machine shop			
13	Metal molding/casting			
14	Metals products – clean & strip			
15	Leather tanning/finishing			
16	Fertilizer manufacturing			
17	Pesticides manufacturing			
18	Rubber processing			
19	Non-contact cooling water			
20	Boiler blowdown			
21	Other:			

19. Please indicate (✓) in the appropriate box which pollutants may be generated by your manufacturing or service activity, or generated as a by-product.

Pollutant	Known Present	Suspected Present	Known Absent	Suspected Absent	Comments
Arsenic					
Cadmium					
Chromium					
Copper					
Cyanide					
Lead					
Mercury					
Molybdenum					
Nickel					
Selenium					
Silver					
Zinc					



20. "I certify under penalty of law this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or the person directly responsible for gathering the information, the information is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Printed Name of Signing Official

Title

Signature of Signing Official

Date

⇒ Please mail this survey to: McAllen Public Utility ⇒ or fax to (956) 661-8278
Wastewater Division
Attention: Pretreatment Department
P.O. Box 220
McAllen, TX 78505-0220

If you have any questions or need additional information, please contact the Pretreatment Department at (956) 688-3382